BRIDGEWATER TOWNSHIP SANITARY INSPECTION REPORT

IDENTIFICATION									
OWNER IN	ESTABLISHMENT INFORMATION								
(Complete this section only if diffe									
NAME OF OWNER(S), CORPORATION (OR REGISTERED AGENT		ESTABLISHMENT TRADING NAME						
			April TWIN CITY						
NUMBER AND STREET	COUNTY		NUMBER AND STREET COUNTY OF SCH						
			617 E. Mainst Bridgenider						
MUNICIPALITY		STATE	MUNICIPALITY	ZIP C		TELEPHONE NO.			
			Bridgwater		807	***			
ZIP CODE CC	MUN. CODE		ESTABLISHMENT STATE LINO. (if appl.)	CENSE COM	UN. CODE				
	INSPECTION								
TYPE OF ESTABLISHMENT CODE		M INITIAL INSPECTION							
TAL DETAIL					tial inappation				
KETAIL	RETAIL		/2 RI	EINSPECTION (иат тѕресиоп)			
2 POOL	GOODS			TIME - (2400 HOURS)					
	DECTROVE	`	DATE	BEGIN		END			
3 CAMP	P 1 DESTROYED		2/25/2021						
4 OTHER	2 EMBARGOE	D							
EVALUATION									
A CONTRACTOR OF THE PARTY OF TH	ggggad and a landau density of the terror terror and the state of the				** : 12°				
M SATISFACTORY □ UNSATISFACTORY □ UNSATISFACTORY						ACTORY			
SATISFACTORY D COMDITIONALLY SATISFACTORY D UNSATISFACTORY						1010111			
	The second secon								
OFFICIAL(S)									
LOCAL BOA	INSPECTING OFFICIAL								
NAME, ADDRESS AND TELEPHONE NUMBER			INSPECTOR'S NAME AND TITLE						
Bridgewater Township			Patricia Timko-Parker						
100 Commons Way									
Bridgewater, N.J. 08807			R.E.H.S.						
908-725-5750									
			INSPECTOR'S SIGNATURE						
			Patra Timki Parker						
	Jama Imale								
HEALTH OFFICER			INSPECTOR'S PERM. REG. NO.						
Kevin Summer			B1934						
INCALL SAW WELL			PI	734					

Bridgewater Township Health Department

100 Commons Way Bridgewater, NJ 08807

RETAIL FOOD INSPECTION REPORT

Establishment Location (Street Address)	4										
Name of Owner(s), Partnership or Corporation Trade Name AQUITTMA CITY Zip Code County Coll	U										
AQUITTION CITY											
. Lov. ' 170 Code 1 County 100/											
Establishment Location (Street Address)	County Co/Mun Code										
	Somerset										
617 E. Main St. Bridgework U88 07 Somersell Bridgework Ro. E-mail Address											
Establishment Mailing Address (if different) Telephone No.											
Establishment Mailing Address (il different) 708 665 - 9400 Risk Type License	No										
Name of Inspecting Official REHS Lic. # Name of Fleatin Official	Risk Type License No.										
Petrica Thata Parker 161934 Kevinsumple											
TIME/ACTIVITY REPORT (Codes: 1-Travel, 2-Inspection, 3-Administration)											
Date Code Began Ended Date Code Began Ended Date Code Began	End	ed									
2 25 2021 FOODBORNE ILLNESS RISK FACTORS AND INTERVENTIONS are control measures in											
I the state of the											
Mark to a proportion Boy: IN=In Compliance: OUT=Not in Compliance; NO=Not Observed, NA=Not Applicable; COS=Conected OF-site. Name of the control of the cont											
MANAGEMENT AND PERSONNEL IN 00.1 MOIL	N/A	cos									
4. LRIC demonstrates knowledge of food safety principles pertaining to this operation.											
a. J. Dick Level 3 Retail Food Establishments is certified by January 2, 2010.											
3 Ill or injured foodworkers restricted or excluded as required.		cos									
PREVENTING CONTAMINATION FROM HANDS	N/A										
4 Handwashing conducted in a timely manner; prior to work, after using restroom, etc.		一									
5 Handwashing proper duration at least 20 seconds with at least 10 seconds of vigorous latinering.		卄									
6 Handwashing facilities provided in toilet rooms and prep areas; convenient, accessible, unobstructed.		旹									
7 Handwashing facilities provided with warm water, soap and acceptable hand-drying metriou.											
8 Direct bare hand contact with exposed, ready-to-eat loods is avoided.	N/A	cos									
FOOD SOURCE											
1 Q I All foods inclining ice and water, from approved sources, that property	Q										
10 Shellfish/Seafood record keeping procedures, storage, proper handling, parasition											
11 PHFs received at 41°F or below. Except: milk, shell eggs and shellfish (45°F). FOOD PROTECTED FROM CONTAMINATION IN OUT N.O.	N/A	cos									
to the state of the proof of the provided											
49. Food restacted from contamination											
14. Food contact surfaces properly cleaned and sanitized.											
PHFs TIME/TEMPERATURE CONTROLS IN OUT N.O.	N/A	cos									
SAFE COOKING TEMPERATURES (Internal temperatures for raw animal foods for 15 seconds) Except: Foods may be served raw or undercooked in response to a consumer order and for immediate service. 130°F for 112 minutes: Roasts or as per cooking chart found under 3.4(a)2; 145°F: Fish, Meat, Pork; 155°F: Ground Meat/Fish; Injected Measurer or Pooled Shell Eggs;											
165°F: Poultry; Stuffed fish/meat/or pasta; Stuffing containing issimilieat.) D										
Caesar salad dressing, hollandaise sauce, tiramisti, chocolate mousse, inclinique, steri											
17 COLD HOLDING: Fries maintained at Yearngo to 445E within 6 hours and from 135°E to 70°E within in 2 hours.											
to the standard of ambient temperature cooled to 41°F Within 4 Hours.	· 🔲										
REHEATING: PHFs rapidly reheated (within 2 hours) in proper facilities to at least 165°F; or commercially processed PHFs heated to at least 135°F prior to hot holding.											
21 HOT HOLDING: PHEs Hot Held at 135°F or above in appropriate equipment.											
21 HOT HOLDING: PHES HOT Held at 155 F of above in appropriate deprending marked: discarded in 4 hours.	Ø	12									
22. TIME of a PUBLIC HEALTH CONTROL: Approval; written procedures; time marked; discarded in 4 riodrs.	K										
22 TIME as a PUBLIC HEALTH CONTROL: Approval; written procedures; time marked; discarded in 4 hours. 23 SPECIALIZED PROCESSING METHODS: Approval; written procedures; conducted properly. 24 HIGHLY SUSCEPTIBLE POPULATIONS: Pasteurized foods used; prohibited foods not offered.	Ž.	一									

RETAIL FOOD INSPECTION REPORT (CONTINUED)

		GOOD RETAIL PRACTICES	ods.			
	Good Retail	Practices are preventative measures to control the addition of pathogens, chemicals and physical objects into for OUT=Not in Compliance; COS=Corrected On-site; For "Repeat" Violation: Mark "R" in OUT Box.	OUT	cos		
		SAFE FOOD AND WATER / PROTECTION FROM CONTAMINATION				
		er available; adequate pressure.				
	Food properly labeled, original container.					
	Food protected from potential contamination during preparation, storage, display.					
	Utensils, spatula	s, tongs, forks, disposable gloves provided and used properly to restrict bare hand contact.				
		egetables washed prior to serving.				
	Wiping cloths pr	operly used and stored.				
	Toxic substance	s properly identified, stored and used.				
Presence of insects/rodents minimized: outer openings protected, animals as allowed.						
Personal cleanliness (fingernails, jewelry, outer clothing, hair restraint).			OUT	cos		
		FOOD TEMPERATURE CONTROL				
ŀ	Food temperatu	re measuring devices provided and calibrated.				
5	Thin-probed ten	perature measuring device provided for monitoring thin foods (i.e. meat patties and fish filets).	1.0			
3		aintained completely frozen.	1/8/			
7	Frozen foods pr	operly thawed.	ľ÷′			
3	Plant foods for I	not holding properly cooked to at least 135°F.		to		
9	Methods for rap	idly cooling PHFs are properly conducted and equipment is adequate.	ООТ	cos		
		EQUIPMENT, UTENSILS AND LINENS	+			
0	Materials, const	ruction, repair, design, capacity, location, installation, maintenance.		1 🗂		
1		perature measuring devices provided (refrigeration units, etc).	1	1 🗂		
2	In-use utensils	properly stored.	+	廿古		
13	Utensils, single	service items, equipment, linens properly stored, dried and handled.	1	十二		
14	Food and non-f	ood contact surfaces properly constructed, cleanable, used.		一一		
15	Proper warewa	shing facilities installed, maintained, cleaned, used; sanitizer test strips available, used.	OUT	cos		
		PHYSICAL FACILITIES	(32)	1		
46	Plumbing syste	m properly installed; safe and in good repair; no potential backflow or backsiphonage conditions.	13/	1 🗂		
47	Sowage and wa	aste water properly disposed.		一		
48 .	Toilet facilities a	are adequate, properly constructed, properly maintained, supplied and cleaned.	+	╁╁		
49 Design, construction, installation and maintenance proper-floors/walls/ceilings.						
50	Adequate venti	lation; lighting; designated areas used.				
51	and refuse pro	tained free of litter, unnecessary articles, cleaning and maintenance equipment properly stored; and garbage perly maintained.				
52	All required sig	ns (handwashing, inspection placard, etc) provided and conspicuously posted.				
14		The property of the property of the province in spection				
7	6.7 C	Hol water handle broken on handwach sink in delif Prop. Kitchen area 2/25/2021 DK	Foot	>		
		Prop. Kitehen area 2/25/2004 or chaunage block	ed.			
46	5-2a	Seatrod department. Stone floor. 2/25/2621 The				
		Seatood department. 3 comp sink chaunage block water over flowing onto the floor. 2/25/2621 the		•		
UE.	14.8K	Mb HSF SFV) PS QUALAGE. Official Signature of Inspecting Official Name and Title of Person Receiving Copy of R				
Na CI	ne of inspecting FriU(1T/m	William Very Land		~ /r		
	13.50	Improper dotrosting of trozen Tish. 2/25	120	21		
7	671.	Back scatood area in pagestands of				
F-35 APR	/	hand wash shik.	Page 2	of 2 Pag		

CONTINUATION SHEET

ROUNDER THE RESIDENCE THE TELL STANDS IN A TELL STANDS OF THE RESIDENCE THE RESIDENCE

(for Inspections, Surveys, Audits, etc.)

Name (Indivi	dual, Facility, Establishment, etc.) QUI WIN CI QUI
BRIDGEWAT	FER TOWNSHIP
Item No.	Remarks
140.	2/22/2021 site inspection after not fication that
	Lie Sugression system was amatia on alallos
	where a five on the grill. Area not cleaned get
	PIC states will call after it is cleaned by
	Caccion Can Many.
-	2)3/2021 site inspection shows area has been
	Clared however handwash sint not was
	spigot is in disrepair. To regain before spirting
	to the this area as ain
	Note Rocall of El Abre Abrel, 10 Queso Fresco
	Soft Cheese PIC removed from the shelf
	Prin Paderson, WJ
15/11	all 2/25/2021 Tist stops for Quat Ammonia
4514	Still heeded
	212 c 12 22 1 Mr parotonol PIC states Coming today
+ 16.1)	- 425 12021 /V Jugar 100
	Sabsfactory
	The Carling Carling and the serviced
Signatur	Signature of Owner of Facility, Establishment, etc. if required
	O PAGE OF PAGES