



Supreme Hotel Motel
Green Brook

8/30/22

SANITARY INSPECTION REPORT

IDENTIFICATION			
OWNER INFORMATION <i>(Complete this section only if different from establishment information)</i>		ESTABLISHMENT INFORMATION	
NAME OF OWNER(S), CORPORATION OR REGISTERED AGENT Nadeem Mushlag		ESTABLISHMENT TRADING NAME Supreme Hotel/Motel	
NUMBER AND STREET		NUMBER AND STREET 105 Hwy 22	
COUNTY		MUNICIPALITY Green Brook	ZIP CODE
MUNICIPALITY	STATE	COUNTY Somerset	TELEPHONE NO. 932-667-778
ZIP CODE	CO/MUN. CODE	ESTABLISHMENT STATE LICENSE NO. (If Appl.)	CO/MUN CODE

INSPECTION			
TYPE OF ESTABLISHMENT 1 <input checked="" type="checkbox"/> RETAIL 2 <input type="checkbox"/> OTHER (Specify): 3 <input type="checkbox"/> 4 <input type="checkbox"/>	ESTABLISHMENT CODE GOODS 1 <input type="checkbox"/> DESTROYED 2 <input type="checkbox"/> EMBARGOED	1 <input type="checkbox"/> INITIAL INSPECTION 2 <input type="checkbox"/> REINSPECTION (other than initial inspection)	
		TIME - (2400 HOURS)	
		DATE 8/30/22	END 12:00 HRS

Emergency # 908 205- **EVALUATION** 1515

SATISFACTORY **CONDITIONALLY SATISFACTORY** UNSATISFACTORY

OFFICIAL(S)

LOCAL BOARD OF HEALTH	INSPECTING OFFICIAL	
NAME, ADDRESS AND (print) Middle-Brook Regional Health Comm 111 Green Brook Rd Green Brook NJ	NAME OF INSPECTOR Robyn Key	TITLE Sr R.E.H.S.
TELEPHONE NUMBER (732) 968-5151 x2	INSPECTOR'S SIGNATURE	
NAME OF HEALTH OFFICER K. G. Summer	INSPECTOR'S PERM. REG. NO. 2-1649	DATE

CONTINUATION SHEET
(for Inspections, Surveys, Audits, etc.)

NAME (Individual, Facility, Establishment, etc.) Suamee Habi Meats	DATE 8/30/22
MUNICIPALITY Green Brook	TEL., CODE or ID NO.

ITEM NO.	REMARKS
Good	^{meat} Display Case - 40° F
Good	Walk in Refrigerator 39° F.
3.3	Cases of Food product is stored directly on FLOOR
3.3	^{knives} Ch ^{knives} - UNCOVERED + exposed to contamination
4.6	Shelfy - where spices + flour is kept is coated with flour + spices.
5.2	There appears to be a plumbing problem under 3 compartment sink. There is a basin being used to catch extra waste liquid.
5.2	Employee bathroom - water pressure is low
6.7	in employee hand sink.
	Cola ^{Cola} Refrig. - 56° F
6.2	No thermometer present
4.6	and is dirty in side - The shelving on bottom of Refrig. floor needs to be cleaned.
3.6	1 gallon of milk - Dated 8/28/22
	Conditional.
	NADEEM MUSHTAR

SIGNATURE OF INDIVIDUAL COMPLETING FORM 	SIGNATURE OF OWNER OF FACILITY, ESTABLISHMENT, ETC., IF REQUIRED
---	--